

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 12-09-17 Revision date: 09-01-18 Supersedes: 12-09-17 Version: 1.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product form : Mixture

: HYDRAULIC VALVE LIFTER ADDITIVE BARDAHL Product name

Product code : 1022B # 732102RR4

Type of product : Lubricants

#### 12 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

· Consumer use Main use category

Function or use category : Lubricants and additives

#### 1.2.2. Uses advised against

No additional information available

## Details of the supplier of the safety data sheet

#### **Distributor**

SADAPS BARDAHL Additives & Lubricants ZI TOURNAI OUEST 2 - RUE DU MONT DES CARLIERS, 3 7522 TOURNAI - BELGIQUE

T +32 (0).69.59.03.60 - F +32 (0).69.59.03.61 msds@bardahlfrance.com - www.bardahlfrance.com

#### Supplier

SADAPS BARDAHL Additives & Lubricants ZI TOURNAI OUEST 2 - RUE DU MONT DES CARLIERS, 3 7522 TOURNAI - BELGIQUE

T +32 (0).69.59.03.60 - F +32 (0).69.59.03.61  $\underline{msds@bardahlfrance.com} - \underline{www.bardahlfrance.com}$ 

#### **Emergency telephone number**

Emergency number : + 32 (0)70.245.245 / +33 (0)1.45.42.59.59

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	

## **SECTION 2: Hazards identification**

## Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category H319

Hazardous to the aquatic environment — H412

Chronic Hazard, Category 3

Full text of H statements : see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

## **Label elements**

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Hazard statements (CLP) : H319 - Causes serious eye irritation.

09-01-18 EN (English) SDS Ref.: 1022B 1/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children. P273 - Avoid release to the environment. P280 - Wear eye protection, face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container to a hazardous or special waste collection point EUH208 - Contains triphenyl phosphite(101-02-0). May produce an allergic reaction.

EUH-statements : EUH208 - Contains triphenyl phosphite(101-02-0). May produce Security closing plug for children : Not applicable

Security closing plug for children : Not applicable Tactile warning : Not applicable

#### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (FR) (Note L)	(CAS-No.) 64742-65-0 (EC-No.) 265-169-7 (EC Index-No.) 649-474-00-6 (REACH-no) 01-2119471299-27	>50	Not classified
Mineral oil substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, FR, GR, HU, IE, LV, NL, PT, RO, SE) (Note L)		5-10	Not classified
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	(CAS-No.) 4259-15-8 (EC-No.) 224-235-5 (REACH-no) 01-2119493635-27	1-5	Eye Dam. 1, H318 Aquatic Chronic 2, H411
triphenyl phosphite	(CAS-No.) 101-02-0 (EC-No.) 202-908-4 (EC Index-No.) 015-105-00-7 (REACH-no) 01-2119511213-58	<0.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
O,O,O-triphenyl phosphorothioate	(CAS-No.) 597-82-0 (EC-No.) 209-909-9 (REACH-no) 01-2119979515-21	<0.5	Repr. 2, H361 Aquatic Chronic 4, H413
2-ethylhexan-1-ol substance with national workplace exposure limit(s) (FR)	(CAS-No.) 104-76-7 (EC-No.) 203-234-3 (REACH-no) 01-2119487289-20	<0.5	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Oil mist substance with national workplace exposure limit(s) (FR)			Not classified

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	(CAS-No.) 4259-15-8 (EC-No.) 224-235-5 (REACH-no) 01-2119493635-27	( 50 = <c 1,="" 100)="" <="" dam.="" eye="" h318<="" th=""></c>

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If medical advice is needed, have product container or label at hand.

09-01-18 EN (English) SDS Ref.: 1022B 2/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

First-aid measures after skin contact Remove contaminated clothes. Wash skin with plenty of water. Wash contaminated clothing

before reuse.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

First-aid measures after ingestion Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

## Most important symptoms and effects, both acute and delayed

: Causes serious eye irritation. Symptoms/effects after eye contact

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## **Extinguishing media**

Suitable extinguishing media : Carbon dioxide. Water spray. Dry powder. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic fire

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Prevent liquid from entering sewers, watercourses, underground or low areas.

## **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area, Eliminate every possible source of ignition, Keep public away from danger area.

Equip cleanup crew with proper protection. Spill area may be slippery.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

## **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Recover the product with absorbent material.

: Clean up any spills as soon as possible, using an absorbent material to collect it. Methods for cleaning up

#### Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

## **SECTION 7: Handling and storage**

## Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

#### Conditions for safe storage, including any incompatibilities

Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep out of Storage conditions

frost. Keep away from heat.

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

Oil mist				
France	VME (mg/m³)	5 mg/m³		
France	VLE (mg/m³)	10 mg/m³		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)				
France	VME (mg/m³)	7 (8h)		

09-01-18 EN (English) SDS Ref.: 1022B 3/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)				
France	VME (ppm)	5 ppm (8h)		
France	VLE (mg/m³)	14 mg/m³ (15m)		
France	VLE (ppm)	10 ppm (15m)		
Mineral oil				
EU	IOELV TWA (mg/m³)	5 mg/m³ 8H		
Belgium	Limit value (mg/m³)	5 mg/m³ (8h)		
Belgium	Short time value (mg/m³)	10 mg/m³ (15min)		
Bulgaria	OEL TWA (mg/m³)	5 mg/m³ (8h)		
Denmark	Grænseværdie (langvarig) (mg/m³)	1 mg/m³		
Finland	HTP-arvo (8h) (mg/m³)	5 mg/m³		
France	VME (mg/m³)	5 mg/m³ (8h)		
France	VLE (mg/m³)	10 mg/m³ (15min)		
Greece	OEL TWA (mg/m³)	5 mg/m³ (8h)		
Hungary	CK-érték	5 mg/m³		
Ireland	OEL (8 hours ref) (mg/m³)	5 mg/m³ (8h)		
Latvia	OEL TWA (mg/m³)	5 mg/m³ (8h)		
Netherlands	Grenswaarde TGG 8H (mg/m³)	5 mg/m³		
Portugal	OEL TWA (mg/m³)	5 mg/m³ (8h)		
Portugal	OEL STEL (mg/m³)	10 mg/m³		
Romania	OEL TWA (mg/m³)	5 mg/m³ (8h)		
Romania	OEL STEL (mg/m³)	10 mg/m³ (15min)		
Spain	VLA-ED (mg/m³)	5 mg/m³ (8h)		
Spain	VLA-EC (mg/m³)	10 mg/m³ (15min)		
Sweden	nivågränsvärde (NVG) (mg/m³)	1 mg/m³		
Sweden	kortidsvärde (KTV) (mg/m³)	3 mg/m³		
Norway	Grenseverdier (AN) (mg/m³)	1 mg/m³		
USA - ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (8h)		
USA - ACGIH	ACGIH STEL (mg/m³)	10 mg/m³		
2-ethylhexan-1-ol (104-76-7)				
France	VME (mg/m³)	5,4 mg/m³		
France	VME (ppm)	1 ppm		

## 8.2. Exposure controls

## Hand protection:

In case of repeated or prolonged contact wear gloves

## Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses		With side shields	EN 166

## Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

Good ventilation of the workplace required

## Personal protective equipment symbol(s):





09-01-18 EN (English) SDS Ref.: 1022B 4/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance · clear Colour : brown. red. Odour : No data available Odour threshold : No data available : No data available Hq Relative evaporation rate (butylacetate=1) No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point : > 100 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available

Density : 0,885 - 0,895 g/cm³ 20°C

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : 9 - 13 mm²/s 100°C
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions of use.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Heat. Open flame. Sparks. Water, humidity. Freezing.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	5,53 mg/l/4h	
Mineral oil		

LD50 oral rat	> 5000 mg/kg
---------------	--------------

09-01-18 EN (English) SDS Ref.: 1022B 5/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Mineral oil	
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 0,005 mg/l/4h
LC50 inhalation rat (Vapours - mg/l/4h)	> 5000 mg/l/4h
2-ethylhexan-1-ol (104-76-7)	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
·	: Not classified
Aspiration hazard	
HYDRAULIC VALVE LIFTER ADDITIVE BA	
\ C = = = = 14	
Viscosity, kinematic	9 - 13 mm <sup>2</sup> /s 100°C
·	
SECTION 12: Ecological information	
SECTION 12: Ecological information 12:1.	on
SECTION 12: Ecological information 12.1. Toxicity Ecology - general	: Harmful to aquatic life with long lasting effects.
SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  Acute aquatic toxicity	: Harmful to aquatic life with long lasting effects. : Not classified
SECTION 12: Ecological information 12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.
SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  Acute aquatic toxicity	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.
SECTION 12: Ecological information 12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity  2-ethylhexan-1-ol (104-76-7) LC50 fish 1	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY)
SECTION 12: Ecological information 12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity 2-ethylhexan-1-ol (104-76-7)	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY)  17,1 mg/l (Ide mélanote (Leuciscus idus), 4DY)
SECTION 12: Ecological information 12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity  2-ethylhexan-1-ol (104-76-7) LC50 fish 1	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY) 17,1 mg/l (Ide mélanote (Leuciscus idus), 4DY) 39 mg/l (Cladocère, 2DY)
SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  Acute aquatic toxicity  Chronic aquatic toxicity  2-ethylhexan-1-ol (104-76-7)  LC50 fish 1  LC50 fish 2  EC50 other aquatic organisms 1  EC50 72h algae (1)	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY) 17,1 mg/l (Ide mélanote (Leuciscus idus), 4DY) 39 mg/l (Cladocère, 2DY) 16,6 mg/l
SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  Acute aquatic toxicity  Chronic aquatic toxicity  2-ethylhexan-1-ol (104-76-7)  LC50 fish 1  LC50 fish 2  EC50 other aquatic organisms 1	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY) 17,1 mg/l (Ide mélanote (Leuciscus idus), 4DY) 39 mg/l (Cladocère, 2DY)
SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  Acute aquatic toxicity  Chronic aquatic toxicity  2-ethylhexan-1-ol (104-76-7)  LC50 fish 1  LC50 fish 2  EC50 other aquatic organisms 1  EC50 72h algae (1)  NOEC chronic fish  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiop	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY) 17,1 mg/l (Ide mélanote (Leuciscus idus), 4DY) 39 mg/l (Cladocère, 2DY) 16,6 mg/l 14 mg/l (Ide mélanote (Leuciscus idus), 4DY)
SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  Acute aquatic toxicity  Chronic aquatic toxicity  2-ethylhexan-1-ol (104-76-7)  LC50 fish 1  LC50 fish 2  EC50 other aquatic organisms 1  EC50 72h algae (1)  NOEC chronic fish  Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiop)  LC50 fish 1	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY) 17,1 mg/l (Ide mélanote (Leuciscus idus), 4DY) 39 mg/l (Cladocère, 2DY) 16,6 mg/l 14 mg/l (Ide mélanote (Leuciscus idus), 4DY)  phosphate) (4259-15-8) 4,4 mg/l LC50/96h/trout
SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  Acute aquatic toxicity  Chronic aquatic toxicity  2-ethylhexan-1-ol (104-76-7)  LC50 fish 1  LC50 fish 2  EC50 other aquatic organisms 1  EC50 72h algae (1)  NOEC chronic fish  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiop)  LC50 fish 1  EC50 other aquatic organisms 1	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY) 17,1 mg/l (Ide mélanote (Leuciscus idus), 4DY) 39 mg/l (Cladocère, 2DY) 16,6 mg/l 14 mg/l (Ide mélanote (Leuciscus idus), 4DY)  phosphate) (4259-15-8) 4,4 mg/l LC50/96h/trout 75 mg/l 48 hours
SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  Acute aquatic toxicity  Chronic aquatic toxicity  2-ethylhexan-1-ol (104-76-7)  LC50 fish 1  LC50 fish 2  EC50 other aquatic organisms 1  EC50 72h algae (1)  NOEC chronic fish  Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiop)  LC50 fish 1	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY) 17,1 mg/l (Ide mélanote (Leuciscus idus), 4DY) 39 mg/l (Cladocère, 2DY) 16,6 mg/l 14 mg/l (Ide mélanote (Leuciscus idus), 4DY)  phosphate) (4259-15-8) 4,4 mg/l LC50/96h/trout
SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  Acute aquatic toxicity  Chronic aquatic toxicity  2-ethylhexan-1-ol (104-76-7)  LC50 fish 1  LC50 fish 2  EC50 other aquatic organisms 1  EC50 72h algae (1)  NOEC chronic fish  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiop)  LC50 fish 1  EC50 other aquatic organisms 1	: Harmful to aquatic life with long lasting effects. : Not classified : Harmful to aquatic life with long lasting effects.  28,2 mg/l (Pimephales promelas, 4DY) 17,1 mg/l (Ide mélanote (Leuciscus idus), 4DY) 39 mg/l (Cladocère, 2DY) 16,6 mg/l 14 mg/l (Ide mélanote (Leuciscus idus), 4DY)  phosphate) (4259-15-8) 4,4 mg/l LC50/96h/trout 75 mg/l 48 hours

## 12.2. Persistence and degradability

triphenyl phosphite (101-02-0)	
Biodegradation	5 - 9,9 %

## 12.3. Bioaccumulative potential

2-ethylhexan-1-ol (104-76-7)

Mobility in soil

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
Log Pow	>3		
2-ethylhexan-1-ol (104-76-7)	2-ethylhexan-1-ol (104-76-7)		
Log Kow	2,9		
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)			
Log Kow	3,6		
triphenyl phosphite (101-02-0)			
Log Kow	6,62		
12.4. Mobility in soil			

## 09-01-18 EN (English) SDS Ref.: 1022B 6/8

-1,42

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Sewage disposal recommendations : Do not discharge into drains or the environment.

Product/Packaging disposal recommendations : Collect all waste in suitable and labelled containers and dispose according to local legislation.

Ecology - waste materials : Do not discharge the product into the environment.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID			
14.1. UN number	14.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable			
14.2. UN proper shipping nam	ie					
Not applicable	Not applicable	Not applicable	Not applicable			
14.3. Transport hazard class(	es)					
Not applicable	Not applicable	Not applicable	Not applicable			
14.4. Packing group						
Not applicable	Not applicable	Not applicable	Not applicable			
14.5. Environmental hazards						
Not applicable	Not applicable	Not applicable	Not applicable			
No supplementary information available						

## 14.6. Special precautions for user

## - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

## - Rail transport

Not applicable

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

## 15.1.2. National regulations

#### **France**

Occupational diseases : RG 36 - Affections provoquées par les huiles et graisses d'origine minérale ou de synthèse

## Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to waters (Classification according to AwSV,

Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

## Netherlands

SZW-lijst van kankerverwekkende stoffen : Distillates (petroleum), solvent-dewaxed heavy paraffinic is listed

09-01-18 EN (English) SDS Ref.: 1022B 7/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Ontwikkeling

: Distillates (petroleum), solvent-dewaxed heavy paraffinic is listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

## **Chemical safety assessment**

No additional information available

## **SECTION 16: Other information**

## Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains triphenyl phosphite(101-02-0). May produce an allergic reaction.

## SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

09-01-18 SDS Ref.: 1022B 8/8 EN (English)